

DÉCHIRER XL

design Patricia Urquiola

sizes and colours

technical features


MU
TIN
A[®]

design Patricia Urquiola 2017
production industrial
material gres porcellanato non smaltato ad impasto omogeneo
 unglazed homogeneous porcelain stoneware
thickness 3+ mm

*misure nominali/nominal sizes



Déchirer XL Gesso
 100-300 cm
 * 39"-118"



Stucco/Grout:
 Bianco 50



Déchirer XL Grafite
 100-300 cm
 * 39"-118"



Stucco/Grout:
 Nero 06




Déchirer XL Avana
 100-300 cm
 * 39"-118"



Stucco/Grout:
 Sand 80

NORMA STANDARD	CARATTERISTICHE FEATURES	VALORE PRESCRITTO VALUE REQUIRED	DECHIRER XL
ISO 10545/2	DIMENSIONI/SIZES		
	lunghezza e larghezza/ length and width	± 0,6%	conforme in conformity with standard
	spessore/thickness	± 5%	
	rettezza degli spigoli/ straightness of edges	± 0,5%	
	ortogonalità/wedging planarità/flatness	± 0,5%	
ISO 10545/3	assorbimento d'acqua/ water absorption	< 0,5%	conforme in conformity with standard
ISO 10545/9	resistenza agli sbalzi termici resistance to thermal shock	nessuna alterazione visibile no visible alteration	resiste resistant
ASTM C484		no samples must show visible defects	unaffected
ISO 10545/12	resistenza al gelo frost resistance	nessuna alterazione visibile no visible alteration	resiste resistant
ISO 10545/13	resistenza agli attacchi chimici resistance to chemical attacks	nessuna alterazione visibile no visible alteration	resiste resistant
LEED CERTIFICATION 4.1 Sistema produttivo con certificazione ISO 9001 Management system ISO 9001			30% pre-consumer recycled material (Déchirer XL Gesso) 40% pre-consumer recycled material (Déchirer XL Grafite and Avana)



Packing

FORMATO SIZE	PZ-MQ PCS-SQM	PZ-SCAT. PCS-BOX	MQ-SCAT. SQM-BOX	SCAT.-PAL. BOX-PAL.	KG-SCAT. KG-BOX	KG-PAL. KG-PAL.	MQ-PAL. SQMS-PAL.
100-300 cm	0,33	1	3	20	24,6	492	60

MUTINA.IT

Follow us on

